



Specialties

The potent photosynthesis and brix enhancer


BRIX-BOX

CHARACTERISTICS:

- Increases the rate of photosynthesis
- Enhances synthesis of proteins
- Reduces leaf drop, flower and fruit drop
- Supports the actions of natural enzymes and hormones in the plant
- Increase resistance power to abiotic stress(Drought,Heat,Low temperature)

COMPONENTS:

	w/v
Organic Nitrogen (N).....	2.5%
Potassium Oxide (K ₂ O).....	1.5%
Organic Carbon.....	10%



PACKAGING: 1 L, 5 L



		CROP	PERIOD OF APPLICATION	DOSE
DIRECTION FOR USE	FOLIAR	FRUIT CROPS (STONE FRUIT, CITRUS, TABLE GRAPE)	Repeat every 10 – 14 days or as required	2-2.5 L/ha
		VEGETABLES (CUCUMBER, ZUCCHINI, EGGPLANT, PEPPER, TOMATO)	in open field and greenhouses after transplant every 10-15 days	1.5-2 L/ha
		ROW CROPS (WHEAT, MAIZE, OIL SEED RAPE, SUNFLOWER, SOYBEAN, RICE, SORGHUM)	applications every 7-10 days	1.5-2 L/ha